

MSDS 115

Material Safety Data Sheet

D.K. Rosedale LLC
9316 Nicollet Ave
Bloomington, MN 55420
Ph#612-741-6441

May be used to comply with osha's
Hazard Communication standard must be
consulted for specific requirements.
ChemTrec (800) 424-9300

Section I COMPONENT INFORMATION

IDENTITY (AS USED ON LABEL AND LIST)

Separating Oil/Easy Glide/Piston Lube

O279117 Spraytech Separating Oil

O508618 Wagner 4 oz Kits/0508619 Wagner Easy Glide

O516750 Titan Piston Lube/314-480 Titan Piston Lube

314-481 Titan Piston Lube/700-926 Titan Piston Oil

O516913 Bottle Assembly/0154908 Wagner Separating Oil

Formula: Proprietary Blend

Date Prepared: 12/1/2012

Section II COMPONENT INFORMATION

[Specify Chemical Identity; Common Name(s)]

	CAS #S	OSHA PEL	ACGIH TLV	OTHER LIMITS	% (OPTIONAL)
Hydraulic Oil		none			proprietary

Section III -Section III-Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity(water-1	0.87
Vapor Pressure(mm hg. rPa(<0.01 mmHg)(at 20 C)		Melting Point	N/A
Vapor Density(Air=1)	N/A	Evaporation Rate	N/A
		(BUTYL ACETATE=1)	
Solubility in cold water			
Appearance and Odor	clear to light amber Odor: mild petroleum odor		

Section IV -FIRE AND EXPLOSION HAZARD DATA

Flash Point	212 C (414 F) COC	Method Used	Flammable Limits	LEL	UEL
Extinguishing Media	Use dry chemical, foam, Carbon Dioxide or water fog.				
Special Fire Fighting Procedures	Use NIOSH/MSHA approved positive pressure self contained breathing apparatus when material is involved in a fire.				

Section V -Reactivity Data

Stability	Unstable <input type="checkbox"/>	Stable <input checked="" type="checkbox"/>
Incompatibility (Material to Avoid):	N/A	
Hazardous Decomposition or byproducts:		
	<input type="checkbox"/>	<input type="checkbox"/>

Section VI -Section VI HEALTH HAZARD DATA

Routes of Entry	Inhalation:		Skin		Ingestion:	X	
Health Hazards (Acute and Chronic):		Acute: May cause diarrhea by oral ingestion. Chronic: Contains a petroleum based mineral oil.					
		Prolonged skin contact can cause mild irritation.					
NTP:		I.A.R.C monographs:		OSHA REGULATED:			
Not Listed		Not Listed		Not Listed			
Signs and Symptoms of exposure:		N/A					
Medical Conditions Generally Aggravated by Exposure		None					
Emergency and First Aid procedures: In case of eye contact, flush eyes with running water for 15 minutes. If irritation persists, obtain medical aid. For skin contact, wash with soap and water. If swallowed: Do not induce vomiting unless directed by a physician. Do not give anything to drink unless directed by a physician.							

Section VII

-Precaution for safe Handling and Use

Steps to be taken in case Material is Released or spilled:

Slipping hazard: do not walk through spilled material. For spills: absorb or cover with dry earth or sand. Place into waste containers.

Waste Disposal Method: Approved landfill in accordance with all local, state and federal regulations.

Precautions to be taken in Handling and Storing: Avoid water contamination and extreme temperatures to minimize product degradation.

Other Precautions: Do not store at temperatures above 120 F

Section VIII

-Control Measures

Respiratory Protection (specify type):		Normally not required		
Ventilation:	Local exhaust	Mechanical (General):	Special	Other
Protective Gloves:	rubber	Eye Protection:	safety glasses	
	Rubber		Chemical goggles	
Other Protection clothing or equipment:		None		
Work/Hygienic Practices:		Use good work practices.		

Section IX

- Other Information

	NPCA-HMIS	Key
Health:	1	0=Minimal
Fire:	1	1=Slight
Reactivity:	0	2=Moderate
Specific Hazard:	N/A	3=Serious
Precautionary Labels:	None Required	4=Severe

This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, D.K. Rosedale LLC must rely upon informaiton provided by these materials manufacturers or distributors.