

Safety Data Sheet: Z-DISK 3 HEAVY DUTY

Supersedes Date 06/11/2010

Issuing Date 01/15/2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Z-DISK 3 HEAVY DUTY

Recommended use Abrasive

Information on Manufacturer

Trust-X by Partsmaster, Div of NCH Corp.

P.O. Box 655326

Dallas, TX 75265-5326

Product Code 8784400

Chemical nature Inorganic solid blend

Emergency Telephone Number

CHEMTREC® 800-424-9300

Telephone inquiry

972-579-2477

2. HAZARD IDENTIFICATION

Color green Blue

Physical State Solid

Odor Odorless

GHS

Classification

Physical Hazards

None

Health Hazard

Acute Oral Toxicity

Serious Eye Damage/Eye Irritation

Specific target organ systemic toxicity (repeated exposure)

Category 5

Category 2B

Category 1

Other hazards

None

Labeling

Signal Word

DANGER



Precautionary Statements

P270 - Do not eat, drink or smoke when using this product

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists, get medical attention.

P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

40 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %
Zirconium oxide	1314-23-4	10-30
Potassium fluoroborate	14075-53-7	10-30
Sodium aluminum fluoride	15096-52-3	0-10
Kaolinite, Hydrous Aluminum Silicate	1332-58-7	0-10

4. FIRST AID MEASURES

General advice

No information available

Eye Contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician

Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes

Inhalation

Move to fresh air

Ingestion

Clean mouth with water and afterwards drink plenty of water

Notes to physician

Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flash Point	The product is not flammable	Method	Not applicable
Upper	No data available	Lower	No data available
Suitable Extinguishing Media			
Carbon dioxide (CO2). Dry chemical. Foam. Water spray.			
Specific hazards arising from the chemical			
The product causes burns of eyes, skin and mucous membranes			
Protective Equipment and Precautions for Firefighters			
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear			
NFPA	Health 1	Flammability 0	Instability 0
HMIS	Health 1	Flammability 0	Instability 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Ensure adequate ventilation
Environmental Precautions	Prevent further leakage or spillage if safe to do so
Methods for Containment	No information available
Methods for Cleaning Up	Clean contaminated surface thoroughly. Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal.
Neutralizing Agent	Not applicable.

7. HANDLING AND STORAGE

Handling	Handle and store in accordance with ANSI Standard B7.1.			
Storage	Keep in a dry place.			
Storage Temperature	Minimum	No information available	Maximum	No information available
Storage Conditions	Indoor	X	Outdoor	Heated
				Refrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Zirconium oxide	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³	IDLH: 25 mg/m ³ STEL 10 mg/m ³ TWA: 5 mg/m ³
Potassium fluoroborate	TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³
Sodium aluminum fluoride	TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³	IDLH: 250 mg/m ³ TWA: 2.5 mg/m ³
Kaolinite, Hydrous Aluminum Silicate	TWA: 2 mg/m ³	TWA: 15 mg/m ³ TWA: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³

Engineering Measures	Local ventilation is recommended to control exposure from operations that can generate dusty conditions. Local ventilation is preferred, because it prevents dispersion into work areas by controlling it at its source. .
Personal Protective Equipment	
Eye/Face Protection	Safety glasses with side-shields
Skin Protection	Leather gloves
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
General Hygiene Considerations	Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid	Viscosity	Not applicable
Color	green Blue	Odor	Odorless
Odor Threshold	Not applicable	Appearance	Textured black paste
pH	Not applicable	Specific Gravity	No data available
Evaporation Rate	Not applicable	Percent Volatile (Volume)	No information available
VOC Content (%)	No information available	Vapor Pressure	Not applicable
Vapor Density	Not applicable	Solubility	Insoluble
n-Octanol/Water Partition	No data available	Melting Point/Range	No data available
Decomposition Temperature	No data available	Boiling Point/Range	No data available
Flammability (solid, gas)	No data available		

Flash Point	The product is not flammable	Method	Not applicable
Autoignition Temperature	No information available.		
Upper No data available Lower No data available			

10. STABILITY AND REACTIVITY

Chemical Stability	Stable.
Conditions to Avoid	None known
Incompatible Products	No materials to be especially mentioned
Hazardous Decomposition Products	None under normal use
Possibility of Hazardous Reactions	None under normal processing

11. TOXICOLOGICAL INFORMATION

Product Information

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 3, 2009):

Oral LD50	No information available
Dermal LD50	No information available
Inhalation LC50	
Gas	No information available
Mist	No information available
Vapor	No information available

Principle Route of Exposure	Eye contact, Inhalation.
Primary Routes of Entry	None known

Acute Effects

Eyes	Dust may cause eye irritation.
Skin	Excessive contact may cause mechanical irritation seen as itching and redness .
Inhalation	Prolonged exposure to grinding dust may cause upper respiratory problems or aggravate existing conditions . Inhalation may cause central nervous system effects. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Ingestion

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic Toxicity

Long term overexposure to respirable dust may cause lung damage (fibrosis) with symptoms of coughing, shortness of breath and diminishing breath capacity. .

Target Organ Effects

Respiratory system, Auditory System , Central nervous system, Kidney, skeletal system.

Aggravated Medical Conditions

Respiratory disorders, Central nervous system, Kidney disorders.

Component Information

Acute Toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Zirconium oxide	no data available	no data available	no data available	no data available	no data available
Potassium fluoroborate	= 5854 mg/kg (Rat)	no data available	no data available	no data available	no data available
Sodium aluminum fluoride	> 5 g/kg (Rat)	no data available	no data available	no data available	no data available
Kaolinite, Hydrous Aluminum Silicate	no data available	no data available	no data available	no data available	no data available

Chronic Toxicity

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Zirconium oxide	no data available	no data available	no data available	no data available	skin, respiratory system
Potassium fluoroborate	no data available	no data available	no data available	no data available	no data available
Sodium aluminum fluoride	no data available	no data available	no data available	no data available	eyes, CNS, respiratory system, skeleton, kidneys, s
Kaolinite, Hydrous Aluminum Silicate	no data available	no data available	no data available	no data available	respiratory system, stomach

Carcinogenicity

Component	ACGIH	IARC	NTP	OSHA	Other
Zirconium oxide	not applicable				
Potassium fluoroborate	not applicable				
Sodium aluminum fluoride	not applicable				
Kaolinite, Hydrous Aluminum Silicate	not applicable				

12. ECOLOGICAL INFORMATION

Product Information	No information available.
Component Information	

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Zirconium oxide	no data available	no data available	no data available	no data available	N/A
Potassium fluoroborate	EC50 = 95 mg/L Desmodesmus subspicatus 96 h	no data available	no data available	no data available	N/A
Sodium aluminum fluoride	no data available	no data available	no data available	no data available	N/A
Kaolinite, Hydrous Aluminum Silicate	no data available	no data available	no data available	no data available	N/A

Persistence and Degradability No information available.
Bioaccumulation No information available.
Mobility No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.
Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT Not regulated
TDG Not regulated
ICAO Not regulated
IATA Not regulated
IMDG/IMO Not regulated

15. REGULATORY INFORMATION

Inventories
TSCA Complies
DSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	Yes	No	No	No

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Zirconium oxide	Not applicable	Not applicable
Potassium fluoroborate	Not applicable	Not applicable
Sodium aluminum fluoride	Not applicable	Not applicable
Kaolinite, Hydrous Aluminum Silicate	Not applicable	Not applicable

16. OTHER INFORMATION

Prepared By Don Stewart
Supersedes Date 06/11/2010
Issuing Date 01/15/2014
Reason for Revision No information available.
Glossary No information available.
List of References. No information available.

Trust-X by Partsmaster, Div of NCH Corp. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.