



MATERIAL SAFETY DATA SHEET

Page 1 of 4

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Methamphetamine and MDMA Reagent		DATE: May 1, 2012
PRODUCT NUMBER(S): 923 (1006342), 7623 (1006046)		
TRADE NAME: Sodium Nitroprusside Reagent		
GENERAL USE: Test for Methamphetamine		
CHEMICAL FAMILY: Acetaldehyde nitroprusside		
PRODUCT DESCRIPTION: Clear colorless liquid 1st ampoule; clear light brown liquid 2nd ampoule.		
MANUFACTURED FOR: Safariland LLC	DATE PREPARED: May 1, 2012	SUPERSEDES: August 1, 2011
ADDRESS (NUMBER, STREET, P.O. BOX) 13386 International Parkway	TELEPHONE NUMBER FOR INFORMATION / Customer Service 800-347-1200	
(CITY, STATE AND ZIP CODE) Jacksonville, FL 32218	COUNTRY USA	CHEMTEL 24-HOUR EMERGENCY TELEPHONE NUMBER  1-800-255-3924 01-813-248-0585 North America Toll Free International

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Irritation of eyes, nose, and throat. Splashes in the eyes or on the skin will cause severe skin burns. Inhalation of acid vapors may be injurious to the lungs. Repeated or prolonged exposure to dilute solutions of acid may cause irritation of the skin.

POTENTIAL HEALTH EFFECTS

INHALATION:

Irritation of throat. Inhalation of acid vapors may be injurious to the lungs and with repeated inhalation chronic irritation/inflammation of nose, throat, and bronchial tubes.

SKIN:

Irritation and or burns by direct contact. Delayed onset contact dermatitis is also possible with chronic repeated exposure to both ampoule 1 and ampoule 3 chemicals.

EYES:

Chronic irritation of eyes.

INGESTION:

Severe irritation and ulceration of the gastrointestinal tract. Vomiting and diarrhea are also symptoms.

CARCINOGENICITY:

NTP? **Yes-Acetaldehyde.**
CALIFORNIA, Prop.65?
ESIS?

IARC MONOGRAPHS? **Yes-Acetaldehyde**
Yes CAS#75-07-0 (Acetaldehyde) are known carcinogens listed in the State of California.
Yes CAS #75-07-0 EINECS #200-836-8 Acetaldehyde=Limited evidence of carcinogenic effect.

OSHA REGULATED? **No**

SECTION 3 - HAZARDOUS INGREDIENTS

Hazardous Components	% (by Weight)	CAS #	EINECS #	Hazard Symbol	RISK PHRASES (Full Text Section 15)
Acetaldehyde	5-15	75-07-0	200-836-8	F+, Xn, Xi	R12, R36/37,R40
Sodium Carbonate Aqueous	1-5	497-19-8	207-838-9	Xi	R36
Sodium Nitroprusside Aqueous	1-5	13755-38-9	238-373-9 (anhydrous)	T	R23/24/25, R32

Notes: Hazard symbols and risk phrases based on maximum listed concentration of each hazardous ingredient.

SECTION 4 - FIRST AID MEASURES

INHALATION:

Remove to fresh air, apply CPR if victim is unconscious, administer oxygen, seek immediate medical attention.

EYES:

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Seek immediate medical attention.

SKIN:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Seek medical attention.

INGESTION:

If swallowed, give plenty of water to dilute substances, do not induce vomiting; if conscious, give large quantities of water immediately. If vomiting occurs spontaneously, keep the head below the waist to avoid aspiration.
Call a physician immediately.

MATERIAL SAFETY DATA SHEET

Page 2 of 4

PRODUCT NAME: Methamphetamine and MDMA Reagent
PRODUCT NUMBER(S): 923 (1006342), 7623 (1006046) **DATE:** May 1, 2012

SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS:

Acetaldehyde is flammable, and sodium nitroprusside will emit toxic gases when heated in a fire.

EXTINGUISHING MEDIA:

Use extinguishing media appropriate for surrounding fire.

FIRE FIGHTING PROCEDURES:

Under fire conditions wearing NIOSH/MSA or European EN-149 approved SCBA's or acid gas=organic vapor respirators is required.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Toxic fumes may be produced by heated product.

HAZARDOUS COMBUSTION PRODUCTS:

Hydrogen cyanide gas, carbon oxides, sodium oxide fumes.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Wear protective equipment; ventilate area; Add baking soda (sodium bicarbonate) to absorb material. Add water if necessary to form a slurry. Scoop up slurry. Can use ODV part number 910 soda ash.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Store and handle according to packaged instructions. Store in cool, well ventilated area. Keep away from reactive materials.

Avoid breathing vapor and prevent vapor accumulation in enclosed areas.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

HAZARDOUS COMPONENTS	NIOSH			ACGIH		OSHA	
	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	TLV/TWA ppm	TWA mg/m3	STEL ppm
Acetaldehyde	25		2000 IDLH		25 Ceiling		200
Sodium Carbonate Aqueous	NE		NE		NE		NE
Sodium Nitroprusside Aqueous		1(as iron)				1(as iron)	

PERSONAL PROTECTION

RESPIRATORY PROTECTION:

Not generally needed as kit is opened and used immediately in the field. For spills, an organic vapor respirator (OSHA/NIOSH or EU Approved) is advisable.

PROTECTIVE GLOVES:

Impervious gloves (neoprene, nitrile) required when any contact potential with contents exists.

EYE PROTECTION:

Do not get in eyes, wear safety glasses with side shield splash protection or chemical goggles.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

An eye wash fountain and safety shower should be readily available where the potential for contact exists.

WORK / HYGIENIC PRACTICES:

Wash thoroughly after handling. Be prepared to absorb any spill.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR Clear colorless liquid 1st ampoule; clear light brown liquid 2nd ampoule.	VAPOR PRESSURE NA
VOC NE Volatility NE	SPECIFIC GRAVITY (WATER = 1) NA
BOILING POINT / BOILING RANGE NA	SOLUBILITY IN WATER NA
FLASH POINT NA	VISCOSITY NA
FLAMMABLE LIMITS LEL: NR UEL: NR	VAPOR DENSITY (AIR = 1) NA
AUTO-IGNITION TEMPERATURE NR	EVAPORATION RATE (BUTYL ACETATE = 1) NE

MATERIAL SAFETY DATA SHEET

Page 3 of 4

PRODUCT NAME: Methamphetamine and MDMA Reagent		DATE: May 1, 2012	
PRODUCT NUMBER(S): 923 (1006342), 7623 (1006046)			
SECTION 10 - STABILITY AND REACTIVITY			
STABILITY		STABLE X	CONDITIONS TO AVOID: Excessive heat, light exposure, contact with incompatible materials.
INCOMPATIBILITY (MATERIALS TO AVOID): Sodium nitroprusside when strongly acidified by contact with Sulfuric or Nitric Acid and when also heated can produce deadly Hydrogen Cyanide gas.			
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Hydrogen Cyanide gas, organic vapors, sodium oxide fumes.			
HAZARDOUS POLYMERIZATION: Will not occur.		CONDITIONS TO AVOID: None related to polymerization.	
SECTION 11 - TOXICOLOGICAL INFORMATION			
Hazardous Components	CAS # EINECS #	LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)
Acetaldehyde	75-07-0	Oral, rat: LD50 = 661 mg/kg	Inhalation, rat: LC50 = 13300 ppm/4H.
	200-836-8		
Sodium Carbonate Aqueous	497-19-8	Oral, rabbit: LD50 = 4090 mg/kg	Inhalation, rat: LC50 = 2300 mg/m ³ / 2 hours
	207-838-8		
Sodium Nitroprusside Aqueous	13755-38-9	Oral, rat: LD50 = 99 mg/kg Oral, rabbit: LD50 = 34 mg/kg	NE
	238-373-9 (anhydrous)		
SECTION 12 - ECOLOGICAL INFORMATION			
Components of this product are environmentally hazardous; do not dispose in sewers or bodies of water.			
SECTION 13 - DISPOSAL CONSIDERATIONS			
WASTE DISPOSAL METHOD: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.			
SECTION 14 - TRANSPORT INFORMATION			
GROUND SHIPMENT WITHIN USA (DOT):			
PROPER SHIPPING NAME:		None - Exempted Qty.	
CLASS/ PACK GROUP/ LABELING:		Class 3 with Excepted Qty. marking on package. No class 3 label required.	
NOTES: When shipped under 49CFR173.4a, This product is exempt from other labeling and waybill requirements.			
GROUND SHIPMENTS TO AND WITHIN CANADA (TDG):			
PROPER SHIPPING NAME:		None - Limited Quantity (within Canada), See above for US to Canada	
CLASS/ PACK GROUP/ LABELING:		Phrase "Ltd. Qty." on package. No additional requirements.	
NOTES: TDG only used for shipment within Canada, shipments from the US can follow DOT regulations. See TDG Sections 1.17 and 9.			
AIR SHIPMENTS (ICAO/IATA):			
PROPER SHIPPING NAME:		None - (Classified under UN1993 Flammable Liquid n.o.s. PGII - Excepted Qty. E2)	
CLASS/ PACK GROUP/ LABELING:		Class 3 with Excepted Qty. marking on package. No class 3 label required.	
NOTES: This product is exempt from other labeling and waybill requirements.			
OCEAN SHIPMENTS (IMDG):			
PROPER SHIPPING NAME:		None	
CLASS/ PACK GROUP/ LABELING:		Class 3 with Excepted Qty. marking on package. No class 3 label required.	
NOTES: Shipping Paper required with statement "Dangerous Goods in Excepted Quantities" and number of packages.			
ALL SHIPMENTS EXCEEDING EXCEPTED QUANTITY / ALTERNATIVE SHIPPING INFORMATION:			
PROPER SHIPPING NAME:		UN 3316, Chemical Kit	
CLASS/ PACK GROUP/ LABELING:		Class 9, Pack Group III. Miscellaneous Label	
NOTES:		Full documentation required.	
<p>Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, TDG & UN information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.</p> <p>Information above does not account for overpacks or outer packings with multiple hazardous materials; consult shipper when multiple materials are shipped. Consult regulations for maximum outer packaging and overpack requirements</p>			



MATERIAL SAFETY DATA SHEET

Page 4 of 4

PRODUCT NAME:	Methamphetamine and MDMA Reagent		
PRODUCT NUMBER(S):	923 (1006342), 7623 (1006046)	DATE:	May 1, 2012

SECTION 15 - REGULATORY INFORMATION

TSCA (USA - Toxic Substance Control Act):		Ingredients are listed.	
SARA TITLE III (USA - Superfund Amendments and Reauthorization Act):			
Acute Health:	Yes	Chronic Health:	Yes
Fire:	Yes	Sudden Release of Pressure:	No
Reactive:	No		

313 REPORTABLE INGREDIENTS: This material contains Acetaldehyde (CAS# 75-07-0, > 99.5%), which is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

CERCLA (USA - Comprehensive Response Compensation and Liability Act): CAS# 75-07-0: 1000 lb final RQ; 454 kg final RQ.

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986: Yes - Acetaldehyde




State Right to Know: **Acetaldehyde: MA,NJ,PA,RI; Listed as Disodium pentacyanonitrosylferrate NJ, PA.**

CIDL (Canadian Ingredient Disclosure List): **Not listed.**

CDSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List): **Not Listed on CDSL.**

EINECS (European Inventory of Existing Commercial Chemical Substances): **Referenced.**

WGK Water Quality Index: **3**

RISK PHRASES:	SYMBOL(S) REQUIRED FOR EU LABEL	SAFETY PHRASES:
R11: Highly Flammable. R20/21: Harmful by inhalation and in contact with skin. R25 Toxic if swallowed. R32: Contact with acids liberates very toxic gas. R37: Irritating to respiratory system. R38: Irritating to skin. R40: Limited evidence of carcinogenic effect. R48/20/22: Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.	 Xn/Xi: Harmful /Irritant  T: Toxic  F: Highly Flammable	S1/2: Keep locked up and out of the reach of children. S9: Keep container in a well ventilated place. S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39: Wear suitable protective clothing, gloves and eye/face protection. S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). S50A: Do not mix with acids.

SECTION 16 - OTHER INFORMATION

Legend: N/A = Not Applicable N/D = Not Determined N/E = Not Established N/R = Not Reported

HMIS HAZARD RATINGS	HEALTH:	3	0 = INSIGNIFICANT
	FLAMMABILITY:	0	1 = SLIGHT
	PHYSICAL HAZARD:	1	2 = MODERATE
	PERSONAL PROTECTIVE EQUIPMENT:	H	3 = HIGH
			4 = EXTREME

REVISION SUMMARY:

Revised 5/1/2012. LB

MSDS Prepared by:

ChemTel Inc.
 1305 North Florida Avenue
 Tampa, Florida USA 33602-2902
 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
 Website: www.chemtelinc.com



The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.